Fossis of Ontario ONTARIO BENEATH YOUR FEET

TRACE FOSSILS



Preserved evidence of animal or plant activities.

Time: 550 mya to present.

Examples: Burrows, footprints, tracks, plant root networks (roots

not preserved).

BIVALVES - Pelecypods (Mollusc)



Time: 540 mya to present.

Description: Each has two shells (often symmetrical to each other), hinged together and held closed by strong muscles.

Life/Habitat: Filter feeder.

Modern Relatives: Modern clams,

mussels, etc.

BRACHIOPODS



Time: 540 mya to present.

Description: Two shells that are symmetrical along the center of

each shell.

Life/Habitat: Filter feeder.

Modern Relatives: Brachiopods.

BRYOZOANS



Time: Possibly 488 mya to present.

Description: Many different forms, including branching twiglike structures and lacy networks. Openings to individual chambers are smaller than those of corals.

Life/Habitat: Filter feeder. **Modern Relatives:** Bryozoans.

CEPHALOPODS (Mollusc)



Time: 520 mya to present.

Description: Cone - or coil - shaped shell divided into chambers.

Life/Habitat: Predator or scavenger. Top predators in the Ordovician.

Modern Relatives: Nautilus, octopuses, squids and cuttlefish.

CRINOIDS



Time: 485 mya to present.

Description: Animals resembling flowers with a grouping of feathery arms at the top of a stem.

Life/Habitat: Filter feeder. **Modern Relatives:** Sea lilies, starfish and sea urchins.

GASTROPODS (Mollusc)



Time: 510 mya to present. **Description:** Coiled shell houses

the animal.

Life/Habitat: Filter feeder, algae

eater or detritivore.

Modern Relatives: Snails and slugs.

RUGOSE CORALS




Time: 462 mya to 251 mya.

Description: Hard cone shaped skeleton; the interior is divided by vertical walls.

vertical walls.

Life/Habitat: Filter feeder. **Modern Relatives:** Corals.

STROMATOLITES




Time: 3500 mya to present.

Description: Colonies of bacteria. They trap grains of sediment, forming layers and building mounds.

Modern Relatives: Stromatolites.



TABULATE CORALS



Time: 488 mya to 251 mya.

Description: A skeleton of vertical tubes further divided horizontally.

Life/Habitat: Filter feeder. **Modern Relatives:** Corals.

TRILOBITES




Time: 520 mya to 251 mya.

Description: Often have three distinct sections lengthwise and crosswise. Fossils found are often pieces of the external skeleton.

Life/Habitat: Burrower, detritivore, possibly predator and scavenger.

Modern Relatives: Horseshoe crabs, scorpions, spiders, etc.

LEGEND




mya: million years ago





Fossils of Ontario

OLD ROCK - ANCIENT LIFE





(A) Brachiopods

mya: million years ago • Geological Time Scale: A system of time measurement that subdivides the Earth's history







Tabulate Corals





Trilobites

FOSSILS: PRESERVED REMAINS OR OTHER EVIDENCE OF ANIMALS AND PLANTS FOUND IN ANCIENT SEDIMENTS AND SEDIMENTARY ROCK

LEGEND

- Mesozoic Devonian
- Silurian
- Ordovician Cambrian
- Precambrian

In Northern Ontario fossils are mainly found in sedimentary rocks that underlie the Hudson and James Bay Lowlands. Fossils from these areas glaciers to other areas of the Canadian Shield.

FOSSIL FACTS

• Ontario Precambrian bedrock is covered by Cambrian, Ordovician, Silurian, Devonian and Mesozoic aged rocks.

• These rocks originally began as **mud** at the bottom of shallow tropical seas between 500 and 360 million years ago.

- These seas periodically **covered** most of Ontario and had **sediments** transported to them by rivers.
- Most of these sediments originated from the erosion of mountains and previous glaciers.
- Limestone comes from marine plants and animals: eroded shells, skeletal material and/or excrement.
- Life was **abundant** in these tropical seas.
- When the animals and plants died, their bodies would settle to the bottom of the sea.
- The sediment transported by the rivers would then cover and preserve the animal/plant parts.
- Over time, the sediments and the animal/plant parts have undergone burial and lithification to become rocks and fossils that now lie under our feet!

have been transported by

Fossils are found across

Southern Ontario.

in bedrock

outcrops such

as the Niagara

Escarpment.

360 mva **DEVONIAN** Age of Fish and Forests

SILURIAN World Underwater

420 mva

485 mya

540 mya

4600 mya

- A higher sea level than today. Shallow seas covered Ontario and the climate was warm.

• 85% of the Earth was covered with oceans and the climate

• Life got big, and modern fishes appeared in the oceans.

- First land plants started growing near sea coasts.
- First land habitats appear: near-river and wetland.

• First forests and amphibians appeared on land.

• Early fish and wingless insects appear.

ORDOVICIAN Tropical Seas. Deep Freeze



- Ontario was located near the equator and was periodically covered by shallow, tropical seas.
- A 500,000 year long ice age contributed to an extinction of 85% of marine life and marked the end of the Ordovician.

CAMBRIAN Explosion of Life



PRECAMBRIAN Life is Small



How are fossils preserved?

To become preserved as fossils, animals and plants should be buried quickly in mud or sand, escape erosion and be deposited in suitable environments (e.g. deep marine, lagoons). Hard bones and shells are more likely to be preserved than soft tissues.

Why are fossils so important?

They help scientists reconstruct Earth's past environments including: land and water, fresh and saltwater, arctic, temperate and tropical climates. Different fossils evolved at different times in the Earth's history. The relative age of sedimentary rocks can be identified through the fossil record.